



AN ISO 9001: 2015 CERTIFIED COMPANY



YOUR ENGINE'S LIFETIME PARTNER

DID YOU KNOW? KDX LUBRICANT PROVIDES COMPLETE PROTECTION FOR YOUR ENGINE









HEAVY DUTY ENGINE OILS DIESEL ENGINE OILS ENGINE OILS



MOTORCYCLE



TRANSMISSION



BRAKE FLUIDS




SUSPENSION **FLUIDS**



COOLANTS



GREASES









KDX Lubricants is a leading provider of specialized industry offerings with a wide range of Lubricants, Oils, Greases & other specialty products. We are dedicated to consistently providing products that deliver stellar quality and comply with statutory requirements in the Automotive and Industrial Lubricants domain. Due to the effective application of an effective system and our enduring perusal of conformity, we and our products have rapidly grown and set a high benchmark in the industry with our new, state-of-the-art manufacturing facility near Surat. KDX Lubricants operates under its two distinctive product divisions: Premium Quality Automotive Lubricants, Industrial Lubricants.





KDX FAST 4T (SYNTHETIC BLEND)

KDX 20W40 / 20W50 SN is a Synthetic blend based 4-Stroke multi-grade engine oil specially formulated for 4-Stroke motorcycle engines. The high quality formulation and specially balanced additive package ensures compatibility with all components, including wet clutch and oil lubricated couplings, and offers optimum lubrication throughout all conditions and temperatures.

BS6 compliant



Pack Sizes Available in :- 900 Ml, 1, 50, 210 ltr., 20W50 1, 1.2 Ltr.



KDX X-1 4T (SYNTHETIC BLEND)

X-1 4T oil meets the requirement of modern generation motorcycle engines good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

X-1 4T oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits; Includes quick engine start Enhances pick up and also longer battery Life.

Recommended For all 4- Stroke two-wheelers





SAE - API SL JASO MA 2



KDX DRIVE 4T

Drive 4T oil meets the requirement of modern generation motorcycle engines with a good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

Drive 4T oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start Enhances pick up and also longer engine Life

Recommended For all 4- Stroke two-wheelers

BS6 compliant





Pack Sizes Available in :- 900 Ml, 1, 50, 210 ltr.



KDX SUPER-X 4T

Super-x 4T oil meets the requirement of modern generation motorcycle engines with a good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

Super-x 4T oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start Enhances pick up and also longer battery Life.

Recommended For all 4- Stroke two-wheelers

BS6 compliant



SAE - API SL JASO MA 2



EAGLE (SYNTHETIC BLEND)

KDX Eagle 15W50 is a Premium Motorcycle Engine oil formulation. KDX Eagle 15W50 with API SN valve Train wear & High-Temperature Performance. KDX Eagle enhances Engine clutch and Gearbox Performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start enhances pick up and also longer engine Life.





SAE - API SN JASO MA 2

Pack Sizes Available in :- 2.5 ltr.



KDX SPEED EXCEL (SYNTHETIC BLEND)

Speed Excel oil meets the requirement of modern generation motorcycle engines with a good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

Speed Excel oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start Enhances pick up and also longer battery Life.

Recommended For all 4- Stroke two wheelers & petrol engine cars.





SAE - API CF-4

Pack Sizes Available in :- 500 Ml, 900 Ml, 1, 3, 3.5, 5, 7.5, 10, 20, 50, 210 ltr.



KDX SPEED-X

Speed-X oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start Enhances pick up and also longer battery Life.

Speed-X oil meets the requirement of modern generation motorcycle engines good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

Recommended For all 4-Stroke two wheelers & petrol engine car



SAE - API CF

Pack Sizes Available in :- 500, 900 Ml, 1, 3, 3.5, 5, 7.5, 10, 20, 50, 210 ltr.



KDX ADVANCE (SYNTHETIC BLEND)

KDX Advance 5W30 is recommended for all types of modern vehicles, including high-performance turbo-charged, supercharged gasoline and CNG, petrol, diesel multi-valve fuel-injected engines found in passenger cars, SUVs, light vans and trucks.

- KDX ADVANCE 5W-30 is general-purpose engine oil for all types of cars.
- KDX ADVANCE 5W-30 is not recommended for 2-Cycle or aviation engines unless specifically approved by the manufacturer.





ACEA C3-10, API CNG-Petrol Spec SN, API Diesel Spec CF

Pack Sizes Available in :- 1, 3, 3.5, 5, 210 ltr.



KDX SUPER DYNAMIC (SYNTHETIC BLEND)

Super Dynamic oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start Enhances pick up and also longer battery Life.

Super Dynamic oil meets the requirement of modern generation multi-grade engines good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

Recommended For all diesel engine cars, trucks, buses, tempo Etc.





SAE - API CI-4+

Pack Sizes Available in :- 500, 1, 3, 3.5, 5, 7.5, 10, 20, 50, 210 ltr.



KDX PRIME

KDX 15W40 CH-4 is a high-performance diesel engine oil that provides proven protection for diesel engines operating in severe conditions for both On and Off-highway applications. KDX PRIME 15W40 CH-4 Oil is primarily intended for use in Diesel Commercial Vehicles. The technology in KDX PRIME 15W-40 CH-4 Oil delivers excellent performance in both modern diesel engines as well as older models.



Pack Sizes Available in :- 1, 3, 3.5, 5, 7.5, 10, 15, 20, 50, 210 ltr.



KDX DYNAMIC

Dynamic oil meets the requirement of modern generation multi-grade engines good viscosity index, good detergency level and excellent oxidation stability providing proper viscosity through a wide of engine temperatures.

Dynamic oil enhances engine Clutch and Gearbox performance, Reduces oil consumption, Reduces engine deposits, Includes quick engine start Enhances pick up and also longer battery Life.

Recommended For all diesel engine cars, trucks, buses, tempo Etc.



SAE - API CF-4

Pack Sizes Available in :- 500 Ml, 1, 3, 3.5, 5, 7.5, 8.5, 10, 15, 20, 26, 50, 210 ltr.



KDX CNG-LPG

KDX CNG-LPG is Specially developed for the Modern, High Performance, Petrol, CNG and LPG Powered engines of New Generation Cars. KDX CNG-LPG oil Reduces oil Consumption, Reduces engine deposits, Includes quick engine start enhances pick up and also longer Battery Life

Recommended for all Latest technology Petrol, CNG LPG Powered engines of new generation models of all major manufacturers.



SAE - API SJ / CD

Pack Sizes Available in :- 500 ml, 1, 3, 3.5, 5, 210 ltr.



KDX PLATINUM

DESCRIPTION: KDX GEAR OIL EP 75W 90 is a multigrade gear oil made from the finest quality base oils blended with extreme pressure additives for moderate condition service.

APPLICATIONS: Application areas are all gearboxes where a viscometric of 75W 90 is recommended in the API GL-5 category.

FEATURES & BENEFITS: Enhanced low-temperature properties under extreme pressure & varying load conditions

Good performance even MEETS REQUIREMENTS OF: API GL-5



SAE - API GL-5

Pack Sizes Available in :- 1, 2.5, 50, 210 ltr.



KDX GEAR - EP 90

KDX Gear EP-90 is a premium multi-grade automotive gear oil with extreme Pressure additives. Processed from premium virgin base oils, it offers excellent thermal and oxidation stability. It provides excellent protection to gears and other components even under heavy-duty conditions and is recommended for heavily loaded gearboxes of Trucks, Buses, LCVs, MUVs and Cars.

Features/Benefits:

- High viscosity index oil maintains high fluidity at low temperatures
- Retains higher viscosity at high temperatures.
- Aids fuel economy
- Provide Longer Gear Life



SAE - API GL-4

Pack Sizes Available in :- 500 ml, 1, 5, 10, 20, 26, 50, 210 ltr.



KDX GEAR - 80W90

KDX Gear EP-80W90 is a premium multi-grade automotive gear oil with extreme Pressure additives. Processed from premium virgin base oils, it offers excellent thermal and oxidation stability. It provides excellent protection to gears and other components even under heavy-duty conditions and is recommended for heavily loaded gearboxes of Trucks, Buses, LCVs, MUVs and Cars.

Features/Benefits:

- High viscosity index oil maintains high fluidity at low temperatures
- Retains higher viscosity at high temperatures.
- · Aids fuel economy
- Provide Longer Gear Life



SAE - API GL-4

Pack Sizes Available in :- 1, 5, 10, 20, 50, 210 ltr.



KDX GEAR - 85W140

KDX Gear 85W140 is a premium multi-grade automotive gear oil with extreme Pressure additives. Processed from premium virgin base oils, it offers excellent thermal and oxidation stability. It provides excellent protection to gears and other components even under heavy-duty conditions and is recommended for heavily loaded gearboxes of Trucks, Buses, LCVs, MUVs and Cars.

Features/Benefits:

- High viscosity index oil maintains high fluidity.\ at low temperatures.
- Retains higher viscosity at high temperatures.
- Aids fuel economy.
- Provide Longer Gear Life.



SAE - API GL-4

Pack Sizes Available in :- 5, 10, 20, 50, 210 ltr.



KDX GEAR - EP 140

KDX Gear EP-140 is a premium multi-grade automotive gear oil with extreme Pressure additives. Processed from premium virgin base oils, it offers excellent thermal and oxidation stability. It provides excellent protection to gears and other components even under heavy-duty conditions and is recommended for heavily loaded gearboxes of Trucks, Buses, LCVs, MUVs and Cars.

Features/Benefits:

- · High viscosity index oil maintains high fluidity at low temperatures
- Retains higher viscosity at high temperatures.
- Aids fuel economy
- Provide Longer Gear Life



SAE - API GL-4

Pack Sizes Available in :- 500 Ml, 1, 5, 10, 20, 50, 210 ltr.



KDX GEAR - EP 220

KDX Gear oil EP-220 is premium automotive gear oil with Extreme pressure additives. Processed from premium virgin base oils, it offers excellent thermal and oxidation stability. It provides excellent protection to gears and other components even under heavy-duty conditions. High viscosity index oil maintains high fluidity at low temperatures and retains higher viscosity at high temperatures. KDX Gear oil EP-220 exceeds the required Points of API GL-4 and is recommended for Industrial use.

BENEFITS:

Longer component life, Outstanding all-weather performance



SAE - API GL-4

Pack Sizes Available in :- 1, 5, 10, 20, 50, 210 ltr.



KDX GEAR - EP 320

KDX Gear oil EP-320 is premium automotive gear oil with Extreme pressure additives. Processed from premium virgin base oils, it offers excellent thermal and oxidation stability. It provides excellent protection to gears and other components even under heavy-duty conditions. High viscosity index oil maintains high fluidity at low temperatures and retains higher viscosity at high temperatures. KDX Gear oil EP-220 exceeds the required Points of API GL-4 and is recommended for Industrial use.

BENEFITS:

Longer component life, Outstanding all-weather performance



SAE - API GL-4

Pack Sizes Available in :- 1, 5, 10, 20, 50, 210 ltr.



KDX DRIVE TRANS

KDX SAE 30 is a premium quality Heavy Duty Automatic Transmission Fluid formulated to meet the Allison C-4 specification of Allison Transmission Division of General Motors, The oil is formulated with highly Virgin base stocks and performance additives to provide superior thermo oxidative stability, clutch friction compatibility, fluoroelastomer seal compatibility, enhanced protection against copper corrosion, reduced foaming and improved low temperature viscosity performance. A unique feature of this product is its excellent filterability and compatibility with 6 Micron Pall filter fitted to Allison Transmissions of BEML earth moving equipments. This increases the filter and fluid life and improves the durability of the equipment.

PERFORMANCE STANDARDS:

This oil meets the following specifications:

- Allison C4 Specifications. Caterpillar TO-2
- Denison HF 0 Dexron IID specification.



HEAVY DUTY HIGH PERFORMANCE
TRANSMISSION OIL

Pack Sizes Available in :- 5, 20, 210 ltr.



KDX TRANS-X

Trans-X oil meets Premium Quality Transmission oil, Performances level TYPE-A, Saffix - A, Dexron I.

Trans-X TQ oil Formula that provides Outstanding resistance to oil break down and deposits, even under severs duty and high Temperatures. Help to wear, extend transmission life and is compatible with conventional Atfs.

Recommended For all automatic transmission and power steering System of automobiles and earth moving machinery. Suitable for all Weather conditions.



AUTOMATIC TRANSMISSION FLUID

Pack Sizes Available in :- 500 Ml, 1, 5, 10, 15, 20, 50, 210 ltr.



KDX WET BRAKE

- Very good lubricating characteristics, even in tough conditions.
- One oil for Gears, Hydraulic system & Wet Brake.
- Ensure longar transmission life.
- Protects against rust and corrosion. Higher oxidation stability and thermal resistance.





KDX HYDRA

Application: As an anti-wear hydraulic and circulating oil specially formulated for the efficient lubrication of industrial equipment.

Specification: ISO VG 68 Grade. Meets IS 10522-1983 (Reaffirmed 2004) specification.

BENEFITS: Long service life due to excellent resistance to oxidation. Protects against rust and corrosion. Provides good wear protection. Has reduced tendency to foam thereby minimizing the chance of noisy operations and erratic actuator response.



VG-32/46/68

Pack Sizes Available in :- 5, 10, 20, 26, 50, 210 ltr.



KDX COOLANT 1:4

Description: To be filled in Radiator after dilution with water in a 1:4 ratio. Use: Feel 1 Liter KDX COOL coolant After Add 4 Liter Best Quality Water. Change Coolant Every 15,000 km. or 5-6 Months approx.

Benefits: Keep Engine Cooler. Lubricates of Circulation Pump • Make Long Life of Engine Oil.



Pack Sizes Available in :- 500 ml, 1, 3, 5, 20, 210 ltr.



KDX ANTI COOL

KDX Antifreeze coolant is manufactured under strict surveillance by experts. It contains highpurified mono ethylene glycol that makes the product eligible to use in all climate conditions.

It Provides

- Protection against corrosion
- Good heat transfer property
- Up to -15°C temperature anti-freezing property

Direction: To be filled in the Radiator after dilution with water in a 1:4 ratio.





KDX - 2T

KDX 2T Oil is a high-quality self-mixing Oil. This oil Improve Fuel economy by lower oil consumption Reducing visible smoke & low ash content protects the engine from wear & corrosion. Quick Starting and Prevent Carbon deposition.

Recommended for all types of two-stroke engines of Moped; Scooter & Motor Cycle and three Wheelers etc. It is also suitable for small petrol engines used in sprayers, pumps, and Smalt Generators.

This Oil meets the performance requirements of API Tc & JASO FC level.



for 2-Stroke Vehicles

Pack Sizes Available in :- 500 ml, 1, 210 ltr.



BRACK FLUID

DOT-3

KDX Brake Fluid DOT-3 is a hydraulic brake fluid recommended for use in all types of automotive vehicles such as 2/3 wheelers, passenger cars, light/ heavy commercial vehicles, etc. for disc and drum brakes.

DOT-4

KDX Brake Fluid DOT-4 is a high-boiling synthetic brake fluid that far exceeds the requirements of the SAE J1703, SAE J1704, DOT 4, and ISO 4925 specifications. KDX Brake Fluid DOT-4 is designed for use in all brake systems particularly those which are exposed to extreme conditions.

DOT-3, DOT-4

Pack Sizes Available in :- 100, 250 ml



SHOCKUP FLUID

KDX Front Fork Oil is a high quality, extreme pressure type gear and transmission oil suitable for use in Two Wheeler & Three Wheeler application. This oil meets the performance requirements of American Petroleum Institute API GL-4 US military specification MIL-L-2105 and IS: 1118. Used as factory fill by many jumper makers. Approved and recommended by 2-Wheeler & 3-Wheeler equipment makers.

JUMPER OIL

Pack Sizes Available in :- 175 ml



AP-3 RED GEL / AP-3 HD

KDX Red Gel grease is a calcium based with Excellent mechanical stability

- Recommended for all types of cars, tractor and light machinery.
- Having excellent water resistence.
- Having anti-rust & anti corrosion properties.
- Having drop point of 120°c.
- It given free optimal vehicle performance.



Pack Sizes Available in :- 100, 250, 500 gm, 1, 3, 5, 10, 18 kg



CHASSIS GREASE

Description:

Chassis grease is a calcium based grease made from high quality base oils and thickening agents.

Application:

Chassis Grease is used in Nipples, Spring leaves, Chain Brives, Open Semi-open car Systems.

Performance Benefits:

Reduces Friction / Extend Bearing Life / Increase Lubrication Intervals More Energy Efficient / Water Resistant / Prevent Seizure

Pack Sizes Available in :- 500 gm, 1, 3, 5, 10, 18, 180 kg



AP-3 POL GREASE

- KDX AP-3 is calcium based Grease with excellent mechanical stability.
- Having Excellent Water Resistance
- Having Anti-rust & Anti Corrosion Properties.
- Having Drop Point Around 100°C.
- It gives free Optimal Vehicle Performance.



EP-2 GREASE

KDX EP-2 grease is a calcium based with excellent mechanical stability

- Recommended for all type of cars, tractors and light machinery.
- Having excellent water resistance.
- Having anti-rust & anti corrosion properties.
- Having a drop point of 120°c. It gives free optimal vehicle performance.

Pack Sizes Available in :- 5, 18, 180 kg







YOUR ENGINE'S LIFETIME PARTNER





















HEAVY DUTY MOTORO SEL ENGINE OILS ENGINE

E TRANS

BRAKE FLUIDS

SUSPENSION FLUIDS